

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
3
4 <?php
5 mb_language("uni");
6 mb_internal_encoding("UTF-8");
7 mb_http_input("auto");
8 mb_http_output("UTF-8");
9
10 $connect = mysql_connect("localhost", "root", "semi");
11
12 if (!$connect){
13 die("database connection fail");
14 }
15
16 mysql_select_db("tibet", $connect);
17 ?>
18 <!-- 結果一覧 -->
19 <html>
20 <head>
21 <meta HTTP-EQUIV="Content-Type" CONTENT="text/html;CHARSET=UTF-8">
22 <title>Result list</title>
23 <link rel="stylesheet" href="tibet.css" type="text/css" title="基本CSS" media="screen, print">
24 </head>
25
26 <body>
27
28
29 <a name="top"><br></a>
30
31
32 <?php
33
34 //データの取り出し
35 $page = urldecode((int)$_GET['page']);
36 $re_num = urldecode($_GET['re_num']);
37 $kind = urldecode($_GET['kind']);
38 $vol = urldecode($_GET['vol']);
39
40
41 //ページのサイズ
42 $pagesize = 20;
43
44 //初回件数表示
45 if($page==0){
46     $page = 1;
47     $sql = "select * from tibet where peking like '%$vol%'";
48     $data = mysql_query($sql, $connect);
49     $re_num = mysql_num_rows($data);
50     mysql_free_result($data);
51 }
52
53
54 //件数表示
55 $totalpage = ceil($re_num / $pagesize);
56 $pagehead = "[" . ($pagesize * ($page - 1) + 1) . " - ";
57
58 if($page < $totalpage){
59     $pagehead .= ($pagesize * $page) . "]" を表示";
60 }else{
61     $pagehead .= "$re_num ] を表示";
62 }
63
64 //リンク設定
```

```

65 if ($page > 1){
66 $link = "[<a href='\"volume.php?page=\". ($page - 1) . \"&re_num=$re_num&vol=$vol&kind=$kind\">\" . \"Back $pagesize </a>
   ]&nbsp;&nbsp;\";
67 }
68 if ($totalpage > 1 and $page < $totalpage){
69 $link .= "[<a href='\"volume.php?page=\". ($page + 1) . \"&re_num=$re_num&vol=$vol&kind=$kind\">\" . \"Next $pagesize </
   a>]\";
70 }
71
72 //検索
73 $sql="select * from tibet where peking like '%$vol%'";
74 $sql .= " limit " . $pagesize * ($page - 1) . " , $pagesize";
75 $data = mysql_query($sql, $connect);
76
77
78 //結果上部
79 ?>
80
81 <p><a href="search.php">[Return]</a></p>
82 <div class="result_goku">Search Words:</div><?php
83
84 $f = sprintf("
85 <form method='\"GET\"' action='\"tibet.php\">
86 <table class='\"r_search\">
87 <tr><td>\";
88 if($kind=="tibet"){
89 $f .= sprintf("<input type='\"radio\"' name='\"kind\"' value='\"tibet\"' checked>tibet");
90 }else{
91 $f .= sprintf("<input type='\"radio\"' name='\"kind\"' value='\"tibet\">tibet");
92 }
93 if($kind=="roma"){
94 $f .= sprintf("<input type='\"radio\"' name='\"kind\"' value='\"roma\"' checked>Roman");
95 }else{
96 $f .= sprintf("<input type='\"radio\"' name='\"kind\"' value='\"roma\">Roman");
97 }
98 $f .= sprintf("</td></tr><tr><td><select name='\"key\">\";
99 if($key=="ttitle"){
100 $f .= sprintf("<option value='\"ttitle\"' selected>title(Tibetan)");
101 }else{
102 $f .= sprintf("<option value='\"ttitle\">title(Tibetan)");
103 }
104 if($key=="title"){
105 $f .= sprintf("<option value='\"title\"' selected>title(Roman)");
106 }else{
107 $f .= sprintf("<option value='\"title\">title(Roman)");
108 }
109 if($key=="khtitle"){
110 $f .= sprintf("<option value='\"khtitle\"' selected>Sanskrit title(Roman)");
111 }else{
112 $f .= sprintf("<option value='\"khtitle\">Sanskrit title(Roman)");
113 }
114 if($key=="author_uni"){
115 $f .= sprintf("<option value='\"author_uni\"' selected>Author/Translator/Revisor(Tibetan/Sanskrit)");
116 }else{
117 $f .= sprintf("<option value='\"author_uni\">Author/Translator/Revisor(Tibetan/Sanskrit)");
118 }
119 if($key=="author_rom"){
120 $f .= sprintf("<option value='\"author_rom\"' selected>Author/Translator/Revisor(Roman)");
121 }else{
122 $f .= sprintf("<option value='\"author_rom\">Author/Translator/Revisor(Roman)");
123 }
124 if($key=="peking"){
125 $f .= sprintf("<option value='\"peking\"' selected>Peking No.");
126 }else{

```

```

127 $f .= sprintf("<option value=%Y\"pekingY\">Peking No. ");
128 }
129 if($key=="derge"){
130 $f .= sprintf("<option value=%Y\"dergeY\" selected>Derge No. ");
131 }else{
132 $f .= sprintf("<option value=%Y\"dergeY\">Derge No. ");
133 }
134 $f .= sprintf("
135 </select></td></tr>
136 <tr>
137 <td>
138 <input type=%Y\"textY\" name=%Y\"wordY\" size=%Y\"60Y\" value=%Y\"$wordY\"></td></tr>
139 <tr><td colspan=%Y\"2Y\"><input type=%Y\"submitY\" value=%Y\"researchY\" <input type=%Y\"resetY\" value=%Y\"resetY\"></td></tr>
140 </table>
141 </form>");
142 print ($f);
143 //print ($f);
144 $vol = str_replace("Y", "", $vol);
145 ?><br>
146 <hr class="result">
147 <div class="result"><?php print $vol; ?>の検索結果:<?php print $re_num; ?>件中、<?php print $pagehead; ?>
148
149
150 <?php
151 #結果表示
152
153 print $link;
154 print ('</div>');
155
156 while($record = mysql_fetch_array($data, MYSQL_NUM)){
157     $title = $record[1];
158     $ttitle = $record[2];
159     $stitle = $record[3];
160     $khtitle = $record[4];
161     $author_uni = $record[5];
162     $author_rom = $record[6];
163     $peking = $record[7];
164     $derge = $record[8];
165     $narthang = $record[9];
166     $kinsha = $record[10];
167
168     //volumeに色をつける
169
170     $peking = str_replace($vol, "<span class=%Y\"redY\">$vol</span>", $peking);
171 ?>
172
173     <div class="t_result"><table class="result"><tr>
174
175 <?php
176 if($kind=="tibet"){
177     $s = sprintf("<td class=%Y\"columnY\">title</td><td class=%Y\"tibetY\"><div class=%Y\"tibetY\">%s</div></td></tr>",
178 $ttitle);
179     }else{
180     $s = sprintf("<td class=%Y\"columnY\">title</td><td class=%Y\"dataY\">%s</td></tr>", $ttitle);
181     }
182 if($kind=="tibet"){
183     $s .= sprintf("<tr><td class=%Y\"columnY\">(Sanskrit)</td><td class=%Y\"sanY\">%s</td></tr>", $stitle);
184     }else{
185     $s .= sprintf("<tr><td class=%Y\"columnY\">(Sanskrit)</td><td class=%Y\"dataY\">%s</td></tr>", $khtitle);
186     }
187 if($kind=="tibet"){
188     $s .= sprintf("<tr><td class=%Y\"columnY\">Author/Translator/Revisor</td><td class=%Y\"tibetY\"><div class=%Y\"tibetY\">%
s</div></td></tr>", $author_uni);
189     }else{

```

```
189     $s .= sprintf("<tr><td class='column'>Author/Translator/Revisor</td><td class='data'>%s</td></tr>",
190     $author_rom);
191     }
192     $s .= sprintf("<tr><td class='column'>Peking</td><td class='data'>%s</td></tr>", $peking);
193     $s .= sprintf("<tr><td class='column'>Derge</td><td class='data'>%s</td></tr>", $derge);
194     $s .= sprintf("<tr><td class='column'>Narthang</td><td class='data'>%s</td></tr>", $narthang);
195     $s .= sprintf("<tr><td class='column'>Kinsha</td><td class='data'>%s</td></tr>", $kinsha);
196     $s .= sprintf("</table></div>");
197     print($s);
198     }
199     mysql_close( $connect );?>
200     [ <a href="#top">Back to top</a> ]
201
202     <?php
203     print $link;
204     ?>
205
206
207 </body>
208 </html>
```